

PLEASE AMEND THE CLAIMS AS FOLLOW:

1. (Currently Amended) A ~~display~~ system for use by a plurality of users in providing a display presentation of a selected composition, said system comprising:

an individual workstation comprising:

a communication interface providing for communications with the respective workstation of composition data representative of at least one visual image of the selected composition;

memory for providing local storage for storing the composition data responsive to the communications interface;

an editing subsystem for providing edit data for locally generated visual edits of changes relative to the local visual display presentation of a respective portion of the visual image of the respective selected composition;

the memory further providing for storing the edit data representative of the changes;

a processing subsystem responsive to the memory and for generating a display presentation output; and

a display apparatus for a local visual display presentation representative of a combined visual image of the respective selected composition, responsive to the processing subsystem;

said system further comprising:

~~wherein there is a plurality of individual workstations, wherein the plurality of individual workstations are each comprised of a music input for selectively providing respective individual performance data output, responsive to a performance by a user of that respective individual workstations, said system comprising:~~

~~combining means, responsive to the individual performance data output from each of the plurality of individual workstations for synchronizing and combining the individual performance data output from the plurality of individual workstations, to provide a combined output of composite virtual performance data; and~~

a plurality of individual workstation, comprising:

means for communicating said ~~composite virtual performance edit~~ data from a first one of the plurality of individual workstations to at least one other of

the plurality of individual workstations, which provides a local presentation representative of the ~~combined individual performance data outputs for all of the communicating plurality of individual workstations responsive to the composite virtual performance data~~ communicated edit data and the composition data for the selected composition.

2. (Previously Amended) The system as in claim 1, further comprising:  
an input device responsive to a musical performance by the user concurrent to the respective local visual display presentation for the respective composition data, for providing an output of user performance data.
3. (Previously Amended) The system as in claim 2, wherein the system provides for a display presentation of a visual image of the differences between expected user performance based upon the local visual presentation and the respective user performance data for the individual workstation.
4. (Currently Amended) The system as in claim 2, the system further comprising:  
combining means, responsive to the user performance data output from each of the plurality of individual workstations, to provide a combined output of composite virtual performance data;  
wherein the combining means is further comprised of means for synchronizing and combining the user performance data from the plurality of individual workstations to generate the composite virtual performance data;  
means for communicating said composite virtual performance data to at least one of the plurality of individual workstations; and  
means for providing a local presentation representative of at least one of an audio, a video and an audiovisual display of the user performance data in combination for all of the communicating plurality of individual workstations responsive to the composite virtual performance data.  
~~combining means for synchronizing and combining the user performance data from a plurality of the individual workstations to generate composite virtual performance~~

~~data, responsive to the user performance data as output from each of the plurality of individual workstations, to provide for at least one of an audio, a video and an audiovisual presentation.~~

5. (Previously Amended) The system as in claim 4, wherein the combining means for synchronizing is responsive to at least one of timing data, and an external timing signal.

6. (Currently Amended) The system as in claim 1, wherein the composition data is music data, the system further comprising:

means for providing changes comprising changing features of at least one of pitch, key, tempo, instrument type, notation, size, shape, color, location, position and placement of the composition data to create modified music data; and

means for communicating the modified music data to at least one other of the display subsystems which provides a local video presentation representative of a visual image of the selected musical composition along with the changes changed by the editing subsystem, responsive to the modified music data.

7. (Currently Amended) The system as in claim 1, wherein the edit data is distributed to a plurality of the individual workstations, each of which provide a local video presentation of the selected composition and the changes responsive to the edit data and the composition data.

8. (Previously Canceled)

9. (Previously Amended) The system as in claim 1, wherein the composition data is music data having an associated visual display, the system further comprising:

means for providing changes to at least one of a plurality of aspects associated with edits to the visual associated with a defined portion of the composition data comprising at least one of key, notation, display format, instrument type, size, shape, color, location, placement, visual characteristics and mode, to provide edit data representative of the edits;

wherein the means for processing provides processing of the edit data.

10. (Previously Amended) The system as in claim 9, wherein the changing is restricted to permit changing of only some of the plurality of aspects.

11. (Previously Amended) The system as in claim 10, wherein for each of the individual workstations the changing of the aspects is programmably restricted at a respective associated defined level of permission.

12. (Previously Amended) The system as in claim 7, wherein the selected plurality of the individual workstations are associated into defined subsets of each of the individual workstations; and

wherein each of the selected plurality of the individual workstations is associated with at least one of the defined subsets and communicates the respective edit data to the respective associated defined subset of the individual workstations each of which provides a respective local display presentation responsive to the respective edit data.

13. (Previously Amended) The system as in claim 12, wherein at least one of the individual workstation is a master that communicates its respective edit data to all other ones of the plurality of individual workstations.

14. (Previously Amended) The system as in claim 13, wherein the edit data from the master is given priority for display on the individual workstations over all the edit data from all other ones of the selected plurality of the individual workstations.

15. (Previously Amended) The system as in claim 1, wherein there is a plurality of the individual workstations coupled for communications there-between, and wherein the communication between the individual workstations is bidirectional and in approximately real-time.

16. (Previously Amended) The system as in claim 1, wherein the changes are provided responsive to a user input.

17. (Previously Amended) The system as in claim 16, wherein the user input is at least one of an audio stimulus, an analog signal, digital data, a switch, a touch input device, motion sensor, motion capture data, and speech recognition.

18. (Previously Amended) The system as in claim 1,  
wherein the plurality of individual workstations are each associated with at least one of a plurality of defined subsets of the individual workstations; and  
wherein edit data for each of the individual workstations is associated with selected ones of the defined subsets, wherein each of the individual workstations communicates its respective edit data to the respective associated at least one of the defined subsets of individual workstations which each thereafter provide a respective local display presentation responsive to the respective edit data.

19. (Previously Amended) The system as in claim 18, wherein at least one of the individual workstations is a master that communicates its respective ones of the changes to all of the plurality of the individual workstations.

20. (Previously Amended) The system as in claim 19, wherein the edit data from the master is given priority for display by all of the individual workstations relative to any and all other edit data from all other ones of the individual workstations.

21. (Previously Amended) The system as in claim 18, wherein at least one of the individual workstations is a subgroup master that communicates the respective edit data to the respective associated ones of the defined subsets of at least one of the individual workstations.

22. (Previously Amended) The system as in claim 21, wherein there are a plurality of separate subgroup masters.

23. (Previously Amended) The system as in claim 21, wherein at least one of the individual workstations is a master that communicates its said respective edit data to all of the plurality of

individual workstations; and

wherein said respective edit data from the master is given priority for display by the individual workstations over all the edit data communicated from all other ones of the individual workstations.

24. (Previously Canceled)

25. (Previously Amended) The system as in claim 23,

wherein the master is for use by at least one of a conductor, band leader, teacher, librarian, and composer.

26. (Previously Amended) The system as in claim 1, wherein there is a plurality of the individual workstations, wherein the composition data is further comprised of type data; and  
wherein at least one of the individual workstations is programmed with an associated type so as to selectively receive the communication of the composition data responsive to the respective type data.

27. (Previously Amended) The system as in claim 26, wherein there are a plurality of the individual workstations, each programmed to selectively receive the communication of the composition data responsive to the type data.

28. (Previously Amended) The system as in claim 26, wherein the type data defines a specific performer type, wherein at least one of the individual workstations is programmed to respond to a respective said specific performer type responsive to at least one of preprogramming, a switch, an audio input, a direct line input, MIDI data, user programming, and remote program control.

29. (Previously Amended) The system as in claim 1, wherein there is a plurality of the individual workstations, wherein the composition data is further comprised of respective type data; and

wherein the composition data is broadcast to a plurality of the individual

workstations, each of which selectively stores said composition data in its respective first memory and provides a local video display presentation responsive to processing of the composition data in accordance with the respective type data.

30. (Previously Amended) The system as in claim 29, wherein there are a plurality of different ones of the type data, wherein at least one of the individual workstations is programmed to respond to a specific one of the plurality of different ones of the type data responsive to at least one of preprogramming, a switch, an audio input, a direct line input, MIDI data, user programming, and remote program control.

31. (Previously Amended) The system as in claim 27, wherein each of the individual workstations has an associated type;  
wherein each of the individual workstations is further comprised of a receiver that provides addressably selective communication that is responsive to the type data and the associated type.

32. (Previously Amended) The system as in claim 1, wherein there is a plurality of the individual workstations, wherein the communication is selectively addressable to subgroups within the plurality of individual workstations providing separate communications which is mapped between each of a plurality of respective frequency bands and each of the subgroups.

33. (Previously Amended) The system as in claim 1, wherein there is a plurality of the individual workstations, the system further comprising:  
a master workstation providing controlled addressable communications of the composition data to at least one of individual ones of the plurality of individual workstations.

34. (Original) The system as in claim 33, wherein the communicating is selectably addressable to defined subgroups within the plurality of individual workstations providing band-based communications;  
wherein communications is mapped between each of the respective bands and

each of the subgroups.

35. (Previously Amended) The system as in claim 1, wherein the individual workstation is operable in a user selected automated mode comprising at least one of auto-advance mode, training mode, performance mode, auto-repeat mode, conductor mode, marching band mode, auto-compose mode, self-learn mode, and user activated display page turning mode.

36. (Previously Amended) The system as in claim 1, wherein there is a plurality of the individual workstations, wherein one of the individual workstations is a master workstation in communication with the remaining ones of the individual workstations.

37. (Previously Amended) The system as in claim 1, further comprising:  
means for retrieving the composition data from the first memory responsive to a user selection of the selected composition from a listing of available music compositions;  
means for processing at least one of the composition data and the edit data to format for presentation;  
means for displaying a video presentation responsive to the processing.

38. (Previously Amended) The system as in claim 37, wherein the means for displaying is further comprised of:  
means for displaying, on a plurality of separate display apparatus, the video presentation of the composition data, responsive to the processing.

39. (Previously Amended) The system as in claim 38, wherein there is a plurality of the individual workstations, the system further comprising:  
means for distributing the processing and the displaying among the plurality of the individual workstations.

40. (Previously Amended) The system as in claim 9, wherein the changing of aspects is restricted at a defined level of permission.



41. (Previously Amended) A display presentation system comprising:
- a plurality of individual workstations, each providing a local visual display presentation of at least a portion of a music composition, each of the individual workstations comprising a music input for selectively providing respective individual performance data output, responsive to a performance by a user of that respective individual workstation;
  - combining means, responsive to the individual performance data output from each of the plurality of individual workstations, to provide a combined output of composite virtual performance data;
  - wherein the combining means is further comprised of means for synchronizing and combining the individual performance data from the plurality of individual workstations to generate the composite virtual performance data;
  - means for communicating said composite virtual performance data to at least one of the plurality of individual workstations; and
  - means for providing a local presentation representative of at least one of an audio, a video and an audiovisual display of the individual performance data in combination for all of the communicating plurality of individual workstations responsive to the composite virtual performance data.
42. (Previously Amended) The system as in claim 41,
- wherein each of the individual workstations is further comprised of a local display apparatus for providing a local visual display presentation of a selected composition;
  - wherein the plurality of individual workstations provide for synchronized display presentation of the composition on each of said local display apparatus.
43. (Previously Amended) The system as in claim 42, wherein a plurality of the individual workstations each provide for output of individual performance data representative of the performance by the respective user corresponding to the respective local visual display presentation.
44. (Previously Amended) The system as in claim 42, further comprising:

synchronization means for generating a synchronization signal for start of the local visual display presentation for the performance;

wherein the music composition is performed over a time period and wherein the respective individual performance data is communicated in discrete time segments, wherein each of the time segments is synchronized responsive to the synchronization.

45. (Original) The system as in claim 44, wherein the combining means provides the synchronization signal.

46. (Previously Amended) The system as in claim 41, wherein the composite virtual performance data is communicated back to a plurality of the individual workstations.

47. (Previously Amended) The system as in claim 41, wherein at least one of the individual workstations provides at least one of an audio output and a visual presentation, responsive to the composite virtual performance data.

48. (Original) The system as in claim 41, wherein each of the individual workstations is further comprised of a network interface subsystem.

49. (Original) The system as in claim 41, further comprising:  
operational selection means for determining a selected operating mode for controlling progression of the video presentation.

50. (Original) The system as in claim 42, further comprising means responsive to the composite virtual performance data to generate a video presentation.

51. (Previously Amended) The system as in claim 41, wherein the individual performance data output is comprised of at least one of audible performance data, visual performance data, electrical signals, digital data and control data.

52. (Previously Canceled)

53. (Previously Amended) The system as in claim 41, further comprising:  
means for providing the presentation on at least one of the plurality of the display subsystems.
54. (Previously Amended) The system as in claim 44, further comprising:  
means for providing a common time reference signal; and  
means for utilizing the common time reference signal to synchronize the discrete time samples from each of the plurality of the display subsystems.
55. (Previously Amended) The system as in claim 41, further comprising:  
means for communicating musical composition data corresponding to the music composition to at least one of the individual workstations;  
means for processing and locally storing the musical composition data; and  
means for providing a visual display presentation of the selected musical composition on the at least one of the display subsystems responsive to the processing and the musical composition data.
56. (Previously Amended) The system as in claim 55, further comprising:  
means for associating an instrument type from a plurality of instrument types to the display subsystem;  
means for broadcasting the musical composition data each corresponding to an associated one of the instrument types for multiple separate graphical display presentations corresponding to the plurality of the respective instrument types; and  
means for selecting a specific one of the multiple separate graphical display presentations responsive to the associating and the musical display data.
57. (Previously Amended) The system as in claim 56, further comprising:  
means for providing a video display for the respective instrument type responsive to the selecting a specific one.

58. (Previously Amended) The system as in claim 56, wherein there are a plurality of the display subsystems, each having an associated instrument type, the system further comprising:  
means for providing a video display on each of the display subsystems for the associated instrument type for the respective display subsystem.
59. (Previously Amended) The system as in claim 41, further comprising:  
means for providing a source of secondary video data representative of a secondary video image; and  
means for displaying the secondary video image as a picture-in-picture within a subpart of the visual presentation.
60. (Previously Amended) The system as in claim 54, further comprised of:  
means for providing for selective local displaying on each of the plurality of the display subsystems.
61. (Previously Amended) The system as in claim 41, wherein the music data representative of the music composition is provided, the system further characterized in that at least one of the individual workstations is comprised of a music workstation comprising means for displaying a music composition responsive to the music data; the system further comprising:  
at least one editing subsystem for changing of features of at least one of the pitch, key, tempo, instrument type, notation, size, color, shape, location and position for the video display presentation associated with the music data to create respective change data and for distributing the modified music data to the at least one of the music workstations;  
wherein the at least one of the music workstations provides the display presentation responsive to the respective change data.
62. (Original) The system as in claim 61, wherein the changing of features is restricted at a defined level of permission.
63. (Previously Amended) The system as in claim 61, wherein there are a plurality of the music workstations, and wherein the respective change data is distributed to the plurality of the

music workstations which each provide a local video presentation responsive to the respective change data.

64. (Original) The system as in claim 63, wherein the local video presentations provided on the plurality of music workstations are synchronized together.

65. (Original) The system as in claim 61, wherein the changing is responsive to a user input, wherein the user input is at least one of audio, data, a switch, a touch input device, a motion sensor, and speech recognition.

66. (Currently Amended) A method of electronically displaying a composition selection on at least one display subsystem, the method comprising:

- providing a plurality of the display subsystems;
- ~~accepting performance data from each of the plurality of display subsystems;~~
- ~~processing the performance data into discrete time samples;~~
- ~~communicating the discrete time samples;~~
- ~~synchronizing the discrete time samples communicated from each of the plurality of display subsystems to provide synchronized communicated time samples;~~
- ~~combining the synchronized communication time samples into combined virtual performance data for integrating performances from the plurality of the display subsystems into a cohesive whole;~~
- ~~communicating the combined virtual performance data to provide at least one of an audio and a video presentation responsive to the combined virtual performance data;~~
- communicating composition data representative of a visual display presentation for the composition selection;
- storing the composition data in a locally stored content database;
- processing the composition data for visual display;
- displaying a video presentation of the composition selection on the display subsystem, responsive to the processing of the composition data;
- modifying a portion of the video presentation to create associated change data representative of modifications to the respective portion of the video presentation and

storing the change data; ~~and~~

displaying a visual representation of the modified video presentation on the at least one display subsystem responsive to the composition data and the change data;

communicating the associated change data from the display subsystem to the at least one of the other display subsystems; and

displaying a visual representation of the composition and the modifications to the respective portion on the at least one other of the display subsystems responsive to the communicated associated change data.

67. (Previously Canceled)

68. (Currently Canceled)

69. (Previously Canceled)

70. (Currently Amended) The method as in claim 66, wherein the composition selection is a selected musical composition, wherein there is a plurality of the display subsystems, the method further comprising:

accepting performance data from each of the plurality of display subsystems;

processing the performance data into discrete time samples;

communicating the discrete time samples;

synchronizing the discrete time samples communicated from each of the plurality of display subsystems to provide synchronized communicated time samples;

combining the synchronized communication time samples into combined virtual performance data for integrating performances from the plurality of the display subsystems into a cohesive whole;

communicating the combined virtual performance data to provide at least one of an audio and a video presentation responsive to the combined virtual performance data;

providing a communications interface for each of the display subsystems for providing for communications of the composition data representative of the respective selected musical composition; and

providing a local visual display at each of the display subsystems representative of the selected musical composition.

71. (Previously Amended) The method as in claim 66, wherein the composition selection has an associated visual display representative of notation for a user performance.

72. (Previously Amended) The method as in claim 71, wherein the notation is at least one of musical notation and non-musical notation conveying performance information to the user.

73. (Previously Amended) The method as in claim 66, wherein there is a plurality of the individual workstations, and

wherein the change data is communicated from a first one of the display subsystems to at least one other of the display subsystems which responsive thereto provides a local video presentation of the respective visual image of the composition data and the associated visual edits of changes.

74. (Previously Amended) The method as in claim 70, wherein the local visual display is responsive to the changes and is a visual display of music notation.

75. (Previously Canceled)

76. (Previously Amended) The method as in claim 66, wherein there is a plurality of the display subsystems further comprising:

synchronizing the video presentations on all of the plurality of the display subsystems.

77. (Previously Canceled)

78. (Previously Amended) The method as in claim 73, wherein a plurality of the display subsystems each provide for output of individual performance data representative of a musical performance by the user corresponding to the display presentation.

79. (Previously Amended) The method as in claim 66, wherein the composition data is music data.

80. (Previously Amended) The method as in claim 66, wherein said composition data is music data for a respective music selection, and wherein there is a plurality of the display subsystems, the method further comprising:

communicating the music data to a plurality of the display subsystems; and  
displaying a video presentation on all of the plurality of the display subsystems of the music selection responsive to the music data.

81. (Previously Amended) The method as in claim 66, wherein the storing data provides storage of stored music data, the method further comprising:

displaying on the at least one of the display subsystem a visual representation of a visual presentation responsive to the stored music data.

82. (Previously Amended) The method as in claim 66, wherein the display subsystems are individual music workstations, wherein the combined virtual performance data represents combined individual musical performances.

83. (Previously Amended) The method as in claim 66, wherein the display subsystems are individual music workstations, wherein the selected composition is a selected musical composition.

84. (Previously Amended) The method as in claim 66, wherein the performance data from selectively displayed subsystems is representative of the musical performance of a user.

85. (Previously Amended) The method as in claim 66,  
wherein the performance data is a music performance;  
wherein performance data is generated by simultaneous musical performances;  
wherein the display subsystems are music display workstations; and  
wherein the performance data is musical performance data representative of at



least one of audio and video.

86. (Previously Canceled)

87. (Previously Canceled)

88. (Previously Canceled)

89. (Previously Amended) The method as in claim 66, further comprising:  
    providing a source of secondary video data representative of a secondary video image; and  
    displaying the secondary video image as a picture-in-picture within a subpart of the display presentation.

90. (Previously Canceled)

91. (Previously Canceled)

92. (Previously Canceled)

93. (Previously Canceled)

94. (Previously Canceled)

95. (Currently Amended) A music display system comprising:  
    memory means for storing and retrieving data;  
    a communications subsystem providing an interface for communication of music data representative of a music composition for storage in and retrieval from the memory means;  
    means for making specific edits to associated with respective portions of the video presentation to create a modified video presentation and selectively storing associated

change data in the memory means representative of the specific edits and the respective portions therewith associated editing;

processing means coupled to the memory means for processing at least one of the music data and the change data to provide presentation data; a presentation apparatus to provide a video presentation of a visual image corresponding to the music data and to the change data on a video display responsive to the presentation data; ~~and~~

communicating the associated change data from the display subsystem to the at least one of the other display subsystems; and

displaying a visual representation of the composition and the modifications to the respective portion on the at least one other of the display subsystems responsive to the communicated associated change data.

~~wherein the memory means, processing means and presentation apparatus comprise a music display workstation, the system further comprising:~~

~~a plurality of the music display workstations, located physically at a plurality of locations;~~

~~means for integrating simultaneous performances from the plurality of locations of music display workstations into a cohesive whole, comprising:~~

~~means for accepting performance data from each of the plurality of music display workstations;~~

~~means for processing the performance data into discrete time samples;~~

~~means for communicating the discrete time samples;~~

~~means for synchronizing the discrete time samples communicated from each of the plurality of music display workstations to provide synchronized communicated time samples;~~

~~means for combining the synchronized communication time samples into combined virtual performance data; and~~

~~means for providing a presentation of at least one of an audio and a video presentation responsive to the combined virtual performance data.~~

96. (Previously Canceled)

97. (Previously Canceled)
98. (Currently Amended) The system as in claim 95~~99~~, wherein the means for synchronizing is further comprised of:
- means for providing a common time reference signal; and
  - means for utilizing the common time reference signal to synchronize the discrete time samples from each of the plurality of music display workstations.
99. (Previously Added) The system as in claim 95, further comprising:
- a user interface for providing a user signal responsive to a user stimulus.
100. (Previously Added) The system as in claim 99, further comprising:
- advancing the presentation of the video display to show the time advance of music notation responsive to the user signal.
101. (Previously Added) The system as in claim 99, wherein the user interface is a touchscreen video display.
102. (Previously Added) The system as in claim 99, wherein the user interface is hands-free.
103. (Currently Amended) The system as in claim 99, wherein the memory means, processing means and presentation apparatus comprise a music display workstation, the system further comprising:
- a plurality of the music display workstations, located physically at a plurality of locations,
  - means for integrating simultaneous performances from the plurality of locations of music display workstations into a cohesive whole, comprising:
    - means for accepting performance data from each of the plurality of music display workstations;
    - means for processing the performance data into discrete time samples;
    - means for communication the discrete time samples;

means for synchronizing the discrete time samples communicated from each of the plurality of music display workstations to provide synchronized communicated time samples;

means for combining the synchronized communication time samples into combined virtual performance data; and

means for providing a presentation of at least one of an audio and a video presentation responsive to the combined virtual performance data.

~~wherein the user interface is a switch.~~

104. (Currently Amended) The system as in claim ~~103~~99, wherein the ~~switch~~user interface is wirelessly coupled to the system.

105. (Currently Amended) The system as in claim ~~103~~99, wherein the ~~switch~~user interface is a footswitch.

106. (Previously Amended) The system as in claim 99, wherein the user interface provides multiple different signals.

107. (Previously Amended) The system as in claim 106, wherein the means for providing a presentation provides a video presentation of the music, wherein the video presentation changes over time to display a plurality of locations within the music composition,

wherein the multiple different signals provide for selective control of movement within the plurality of locations to at least one of forwards, backwards, and to a marked location.

108. (Previously Amended) The system as in claim 99, wherein the user interface provides an apparatus for a user to provide input of data to the system.

109. (Previously Amended) The system as in claim 108, wherein the input of data provides for control of editing of the video presentation.

110. (Previously Amended) The system as in claim 108, wherein the input of data provides for user communication of commands to the processing means.
111. (Previously Added) The system as in claim 95, further comprising:  
means for providing a timing metronome display as a part of the video display.
112. (Previously Added) The system, as in claim 95, housed in a common housing to form a self-contained unit.
113. (Currently Amended) The system as in claim ~~95~~103, further comprising:  
means for synchronizing the presentation on the plurality of local visual display presentations of the selected musical composition.
114. (Previously Amended) The system as in claim 95, w~~f~~urther comprising:  
means for providing controlled addressable communications for receiving of the edit data representative of a visual image of the selected musical composition as changed by at least one of the plurality of the music display workstations.
115. (Previously Amended) The system as in claim 114, wherein the communicating of the edit data is selectably addressable to defined subgroups within the plurality of the music display workstations providing band-based communications; and  
wherein communications is mapped between each of the respective bands and each of the subgroups.
116. (Previously Canceled)
117. (Previously Canceled)
118. (Previously Canceled)